





# TECHNICAL SPECIFICATION SHEET

**PRODUCT NAME:** DaisyOne Arm

**PRODUCT CODE:** COM/001

Doc Rev 1. 27.05.15. CF



\*Note dimensions provided are measured in mm

## KEY FEATURES

- Easy expansion from single to dual screen with no additional adaptors - simply add another arm
- Fits with all CBS posts to give a wide range of height, aesthetic, cost options
- Over 180 degree vertical tilt to avoid glare and 180° horizontal movement
- Supplied with 2 high capacity cable management clips

<b>Product Classification</b>	Monitor Arm
<b>Max load</b>	8.5kg (18.7lb)
<b>Horizontal Range</b>	505mm
<b>Build level</b>	#M
<b>Recycled content</b>	32%
<b>Total product recyclable</b>	100%

## LOGISTICAL

---

<b>Box contains</b>	Monitor arm and PQR
<b>Product net weight:</b>	1.22 kg
<b>Box dims (HxWxD)</b>	120 x 122 x 300 mm
<b>Box gross weight</b>	1.38 kg
<b>Carton quantity</b>	12
<b>Master dims (HxWxD)</b>	265 x 388 x 620 mm
<b>Master weight</b>	17.54 kg
<b>Country of origin</b>	China
<b>Country of configuration</b>	UK

## ORDERING INFORMATION

---

<b><u>Colour</u></b>	<b><u>Product code</u></b>	<b><u>EAN</u></b>
Silver	COM/001/S	5060270822981

## WARRANTY

---

<b>Warranty Term</b>	Limited lifetime
<b>Notes</b>	Excludes Quick Release mechanism – warranty 5 years

## COMPLIANCE & SAFETY CERTIFICATION

---

Whilst no mandatory standards apply to the monitor arm product sector, all Colebrook Bosson Saunders monitor arms have been designed with appropriate articulation features, dimensional range and adjustability to conform to the requirements of BS EN ISO 9241:5 1999 Ergonomic requirements for office work with visual display terminals (VDTs).

<b>Conformance certification</b>	N/A
<b>Test authority</b>	CBS
<b>Safety certification</b>	N/A

## ENVIRONMENTAL

---

<b>Material type</b>	<b>Material type Weight</b>	<b>% PIR of total weight</b>	<b>% PCR of total weight</b>	<b>% of total product recyclable</b>
Aluminium Die Cast	785.6g	13.89%	27.79%	69.47%
Aluminium Extruded	0g	0%	0%	0%
Plastic	211.7g	0.94%	0.94%	18.72%
Rubber	0g	0%	0%	0%
Steel	132.3g	0%	2.92%	11.70%
Stainless Steel	0.4g	0%	0.0.01%	0.04%
Brass	0.09g	0%	0.01%	0.08%
<b>Total</b>	<b>1130.9g</b>	<b>14.83%</b>	<b>31.67%</b>	<b>100.00%</b>

## CLEANING, STORAGE & MAINTENANCE

---

<b>Routine servicing</b>	Periodic inspection
<b>Service components</b>	Available to order
<b>Cleaning &amp; Maintenance</b>	Damp cloth, no abrasives, no solvents to be used on the cosmetic surfaces
<b>Handling &amp; Storage</b>	Do not drop or expose to moisture

---

Colebrook Bosson Saunders (Products) Ltd accept no liability for the accuracy of the information contained herein and retain the right to modify the specifications or data contained herein without prior notification.